



Epson's original ink tank system printers now bring even better performance with a blazing print speed of up to 34ppm/cpm for 24-hour service stations such as hotels, hospitals and retailers. Save more money and time with Epson's low cost ink bottles while increasing productivity every day.



I E













Cost Effective







M200 Print/Scan/Copy



ENGINEERED FOR BUSINESS

Superb Savings and Page Yield

At just PhP0.15 per mono printout, a bottle of 140ml of ink delivers an ultra high yield of 6,000 pages. Printer is bundled with an additional 70ml ink bottle that increases the page yield to 8,000 pages.

Distinctive Print Speed

Laser quality print speed of 15ipm and quick reference print speed at 34ppm that increase your business productivity.

High Quality & Durability

Clear, sharp and durable printouts with genuine pigment ink that are water and fade resistant.

Take your business productivity to the next level with the M100 and M200 original ink tank system printers that deliver speedy performance with low running costs. High capacity ink and superb durability ensure reliable high volume printing without compromising quality.



Superb Savings and Page Yield

Epson's proven original ink tank system printers deliver reliable printing with unrivalled economy. At just PhP0.15 per mono printout that is 50% lower cost compared against third party refilled toner cartridges*, the M100 and M200 let you enjoy ultra high yield options of 6,000 pages, reducing the constant hassle of refilling. The M100 and M200 come bundled with an initial starter kit of 2 bottles of inks (140ml and 70ml) for a total yield of up to 8,000 pages.



*Comparisons made against similarly-priced monochrome laser printers using third-party toner cartridges: Epson M100 and M200 printers using ink from T7741 ink bottles compared against monochrome multi-function laser printers costing below US\$150 (incl. tax) and US\$200 (incl. tax) respectively from most major brands. All information correct at time of publication.

Distinctive Print Speed

Busy offices will appreciate the laser quality speed of 15ipm and draft print speed of 34ppm in both M100 and M200. In addition, the M200 comes with a copy speed of up to 34cpm.



High Quality & Durability

With Epson genuine pigment inks, you can now enjoy exceptional print quality with water and fade resistant printouts. Rejoice in the remarkable durability and cost efficiency that come with these printers.

Network Connectivity



The Epson M100 and M200 can be shared amongst a work group through Ethernet, increasing efficiency.

Seamless Printing with Epson iPrint

The M200 makes your printing process effortless with Epson iPrint, when connected to a wireless network.

• **Epson iPrint** lets you print directly from smart devices. You can also scan to your device to send as an email, or upload to cloud services such as Box.net, Dropbox, Evernote® or Google® Doc™.





For more information, visit www.epson.com.ph/connect

Increased Productivity

The M200 enhances your productivity when you copy and scan documents with its Automatic Document Feeder (ADF) that accepts up to 30 pages, keeping your printing time short and sweet.



Smooth Operation with Integrated 2-line LCD Panel

The M200 increases efficiency with a built-in 2-line LCD screen that provides versatile functions like status of print jobs.



Space-saving Design

The M100 and M200 ink tank system printers not only work well, but also fit comfortably in your office. They sport a compact design and footprint that can be easily integrated into small desktops.



Epson Warranty for Peace of Mind

Enjoy warranty coverage of one year or 50,000 prints, whichever comes first, for maximum value from your printer and freedom from worries over its maintenance.

Better Products for a Better Future™



Minimize energy costs with these Energy Star certified printers that have up to 70% lower power consumption than conventional lasers without compromising high productivity.

*Results based on Epson internal testing conducted using US-equivalent 120V models.

For more information on Epson's environmental programme, visit http://global.epson.com/SR/environment.

PARTNERS IN PERFECTION



T7741 Inks

Epson genuine inks are designed specifically to work with your Epson printer to deliver long-lasting results.



WorkForce WF-3521

The multifunctional capabilities of Epson WorkForce WF-3521 allows you to print, scan, copy and fax seamlessly. With the full suite of Epson Connect services, you can now print wirelessly and remotely from smart mobile devices, tablets or computers. For more information on Epson Connect services, visit www.epson.com.ph/connect.



Pint Method Nonzerle Configuration Pint Sheeting	MODEL NUMBER	M100	M200
Nozele Configuration Periot Direction Nozemum Pecialistics Nozemum Peci	Printing		
First Deciderion Bi-drectorial printing, Usi-decidental printing Maximum Resolution M			
Maintain Resolution Maintain Maintai			
Minimum Fish Popel Walturn Specification			
Print Spead Max Black Draft Ted* - Memo (A4)* ISO Default - ISO 2472e Black* Double-sided Printing Vision Control Printing Control Printing Copyring Copyring Copyring Copyring Copy Spead Max Black Draft Ted* - Memo (A4) Reachardow Enlargement Vision With A Reachardow Enlargement Reachardow Enlargement With A Reachardow Enlargement Reachardow Enlargement Reachardow Enlargement Reachardow Enlargement Reacha			
Max Black Draft Tool** - Nemo (AA)** ISO Default - 1500 42742 Black?** Double-sided Printing Coloris Plesh(N) Ves Minuse) Corporate Corp		<u>3pl</u>	
SSD Default - ISO 24724 Block* Approx. 15 jpm Sobbie-sided Philader Yes Wearual) Coltato (Pash No) Yes Wearual) Control Panel Yes Wearual) Yes Wearual) Control Panel Yes Wearual) Yes Wearual) Copy Control Panel Yes Wax 2 Line LCD			
Double-sided Printing			
Collate (PeshNo) Yes			
Control Parel			
LGD Screen		Yes Yes	
Copying Copy Speed Max Black Draft Text - Memo (A4) MAX Approx. 34 pom (Draft) Cory Mode Max Black Draft Text - Memo (A4) V/A 25 - 400%, Auto Fit Function Cory Mode N/A Standard copy mode Scanner Broe N/A Standard copy mode Scanner Broe N/A 15 But Add other image scanner Scanner Broe N/A 1200 des x 2400 dej Optical Resolution N/A 1200 des x 2400 dej Optical Resolution N/A 1200 des x 2400 dej Max 15 But internal, 24-bit external Gryscale N/A 16 but internal, 24-bit external Scan Speed N/A 16 but internal, 1-bit external Monochrome 800 dpi N/A 2 masec/ine Color 900 dpi N/A 2 masec/ine Monochrome 800 dpi N/A 12 masec/ine Color 900 dpi N/A 12 masec/ine			
Copy Speed NA		N/A	2Line LCD
Max Black Draft Task - Marmo (Arl) Reduction Fridaryament N/A Approx. 24 ppm (C)raft) Standard copy mode N/A Standa	Copying		
Reduction/Enlargement	Copy Speed		
Maximum Copies from Standardone N/A Standard copy mode	Max Black Draft Text - Memo (A4)	N/A	Approx. 34 ppm (Draft)
Sample N/A	Reduction/Enlargement	N/A	25 – 400%, Auto Fit Function
Scanner Type	Copy Mode	N/A	
Scanning Scanner Type N/A		N/A	199
Scanner Type			
Sensor Type		N/A	Flatbed color image scanner
Quick Passoultion			
Compatibility			
Maximum Scan Area NA			
Scanner Bit Depth			
Color N/A			1 2 10 X 20111111 (0.0 X 11.1)
Size		N/A	48-hit internal 24-hit external
Black & White NA			
Scan Speed N/A			
Monchrome 300 dpi NA 2.2 msec/line Color 300 dpi NA 7.0 msec/line 2.4 msec/line 2.4 msec/line 2.5 msec/line 2.5 msec/line 2.5 msec/line 2.6 msec/line 2.6 msec/line 2.7 msec/l		IV/A	To-bit internal, 1-bit external
Color Sign of pink N/A To pink of pink		N1/A	100
Moncchrome 600 dpi N/A 2.4 mesc/line 1.2 msec/line 1			
Color 600 dpi M/A 12, msc/line M/A 25, d msc/line M/A			
Monchrome 1200 dpi N/A 8.5 msec/line			
ADF			
April			
Maximum Document Size N/A A.J. US Letter, Legal size Only support Paper Type A.D. VA A.J. US Letter, Legal size Only support Paper Type A.D. VA A.J. US Letter, Legal size Only support Paper Type A.D. VA A.J. US Letter, Legal size Only support Paper Paper A.J. US Letter, Legal size Only support Paper Paper A.J. US Letter, Legal size Only support Paper		<u>N/A</u>	25.4 msec/line
Support Paper Thickness			
Support Paper Thickness			
Spages (Nerox-P 64g/m²) or 3mm (Letter,A4/10 sheets (Legal)	Support Paper Type	N/A	Only support Plain Paper
Samm (Letter,A4/10 sheets (Legal)	Support Paper Thickness	N/A	64-95g/m ²
Printer Interface	Capacity/Maximum Number of Original	N/A	30pages (Xerox-P 64g/m²) or
Hi-Speed USB 2.0			3mm (Letter,A4/10 sheets (Legal)
Ethernet 100BASE-TX / 10BASE-T	Printer Interface		
Mobile Printing	USB		
Paper Faed Method Number of Paper Trays	Ethernet		
Paper Feed Method Friction feed Number of Paper Trays 1	Mobile Printing	N/A	Epson iPrint
Number of Paper Trays	Paper Handling		<u> </u>
Paper Hold Capacity 100 sheets, A4 Plain paper (75g/m²) 0utput Capacity 30 sheets, A4 Plain paper (Default Text) A4, A5, A6, B5, 10x15cm(4x6"), 13x18cm(6x7"), 9x13cm(3½ x5"), Letter (8½ x11"), Legal (8½ x14 Half Letter (5½x83½"), 13x20cm (5x8"), 20x25cm (8x10"), 16:9 wide size, 100x148mm,	Paper Feed Method	Friction feed	
Paper Hold Capacity 100 sheets, A4 Plain paper (75g/m²) 0utput Capacity 30 sheets, A4 Plain paper (Default Text) A4, A5, A6, B5, 10x15cm(4x6"), 13x18cm(6x7"), 9x13cm(3½ x5"), Letter (8½ x11"), Legal (8½ x14 Half Letter (5½x83½"), 13x20cm (5x8"), 20x25cm (8x10"), 16:9 wide size, 100x148mm,	Number of Paper Trays	1	
Input Capacity			
Output Capacity 30 sheets, A4 Plain Paper (Default Text) Paper Size A4, A5, A6, B5, 10x15cm(4x67), 13x18cm(5x7"), 9x13cm(3½x5"), Letter (8½x11"), Legal (8½x14 Half Letter (5½x8½*"), 13x20cm (5x87"), 20x25cm (8x10"), 16:9 wide size, 100x148mm, Envelopes: #10(4½x9½*"), DL (110x220mm), C6 (114x162mm) Maximum Paper Size 8.5 x 44" Print Margin 3mm top, left, right, bottom Noise Level PC Printing / PGPP Best Photo 5.2B(A) 5.3B(A) LwAd: B(A) 5.2B(A) 39dB(A) LpAm: dB(A) 5.2B(A) 39dB(A) PC Printing / Plain Paper default 6.5B(A) 50dB(A) LwAd: B(A) 5.2B(A) 50dB(A) LpAm: dB(A) 51dB(A) 50dB(A) Electrical Specifications 8 50dB(A) Rated Voltage AC 100-240V Rated Frequency 50-60 Hz Power Consumption N/A 10W Standalone Copying N/A N/A Printing Approx. 12.0W Approx. 4.0W Approx. 1.3W Approx. 1.3W Power Off Approx. 0.3W Approx. 1.3W Printer			
Paper Size Ä4, A5, A6, B5, 10x15cm(4x6"), 13x18cm(5x7"), 9x13cm(3½ x5"), Letter (8½ x11"), Legal (8½ x14 Half Letter (5½x8½"), 13x20cm (5x8"), 20x25cm (8x10"), 16:9 wide size, 100x148mm, Envelopes: #10(4½x9½"), DL (110x220mm), C6 (114x162mm) Maximum Paper Size 8.5 x 44" Print Margin 3mm top, left, right, bottom Noise Level PC Printing / PGPP Best Photo		30 sheets, A4 Plain Paper (Default Text)	
Half Letter (51½x81½"), 13x20cm (5x8"), 20x25cm (8x10"), 16:9 wide size, 100x148mm, Envelopes: #10(41½x91½"), DL (110x220mm), C6 (114x162mm)		A4, A5, A6, B5, 10x15cm(4x6"), 13x18cm(5x7"), 9x13cm(3½ x5"), Letter (8½ x11"), Legal (8½ x14"),	
Envelopes: #10(41/sx91/s*), DL (110x220mm), C6 (114x162mm)	,	Half Letter (5½x8½"),13x20cm (5x8"), 20x25cm (8x10"), 16:9 wide size, 100x148mm,	
Maximum Paper Size 8.5 x 44" Print Margin 3mm top, left, right, bottom Noise Level PC Printing / PGPP Best Photo			
Print Margin 3mm top, left, right, bottom Noise Level PC Printing / PGPP Best Photo LwAd: B(A) 5.2B(A) 39dB(A) LpAm: dB(A) 38dB(A) 39dB(A) PC Printing / Plain Paper default 6.5B(A) 6.4B(A) LwAd: B(A) 6.5B(A) 50dB(A) LpAm: dB(A) 51dB(A) 50dB(A) Electrical Specifications AC 100-240V Rated Voltage AC 100-240V Rated Frequency 50-60 Hz Power Consumption N/A 10W Standalone Copying N/A N/A N/A Printing Approx. 12.0W N/A N/A Approx. 4.0W Sleep Approx. 1.7W Approx. 1.8W Approx. 0.3W Power Off Approx. 0.3W Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Printer Software Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Page Yield'³ Order Code	Maximum Paper Size		, , , , , , , , , , , , , , , , , , ,
Noise Level		3mm top, left, right, bottom	
PC Printing / PGPP Best Photo			
LwAd. B(A) 5.2B(A) 5.3B(A) LpAm: dB(A) 38dB(A) 39dB(A) Porinting of Standby 6.5B(A) 6.4B(A) LpAm: dB(A) 51dB(A) 50dB(A) Electrical Specifications 8 Rated Voltage AC 100-240V Rated Frequency 50-60 Hz Power Consumption N/A 10W Standalone Copying N/A N/A Printing Approx. 12.0W N/A Standby Approx. 2.5W Approx. 4.0W Sleep Approx. 1.7W Approx. 1.8W Power Off Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Printer Software Windows XP/XP Professional x64 Edition/Vista/7/8 On-line Guide Yes Epson Genuine Ink Cartridges Page Yield'3 Order Code			
LpAm: dB(A) 33dB(A) 39dB(A) 39dB(A) PC Printing / Plain Paper default LwAd: B(A) 6.5B(A) 6.4B(A) LpAm: dB(A) 51dB(A) 50dB(A) Electrical Specifications Rated Voltage AC 100-240V Rated Frequency 50-60 Hz Power Consumption Standalone Copying N/A 10W Printing Approx. 12.0W N/A Standaby Approx. 2.5W Approx. 4.0W Sleep Approx. 1.7W Approx. 1.8W Power Off Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Printer Software Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Page Yield'3 Order Code		5.2B(A)	5.3B(A)
PC Printing / Plain Paper default LwAd: B(A) 6.5B(A) 51dB(A) 50dB(A) 50dB(
LwAd: B(A) 6.5B(A) 6.4B(A) LpAm: dB(A) 51dB(A) 50dB(A) Electrical Specifications Rated Voltage AC 100-240V Rated Frequency 50-60 Hz Power Consumption V/A 10W Standalone Copying N/A N/A Printing Approx. 12.0W N/A Standby Approx. 2.5W Approx. 4.0W Sleep Approx. 1.7W Approx. 1.8W Power Off Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Printer Software Operating System Compatibility Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Yes Epson Genuine Ink Cartridges Page Yield'3 Order Code		- 2006 4	1 2226 A
LpAm: dB(A) 51dB(A) 50dB(A) Electrical Specifications Rated Voltage AC 100-240V Rated Frequency 50~60 Hz Power Consumption 10W Standalone Copying N/A N/A Printing Approx. 12.0W N/A Standby Approx. 2.5W Approx. 4.0W Sleep Approx. 1.7W Approx. 1.8W Power Off Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Printer Software Vindows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Yes Epson Genuine Ink Cartridges Page Yield'³ Order Code		6.5B(A)	L6 4R(A)
Electrical Specifications AC 100-240V Rated Voltage AC 100-240V Rated Frequency 50-60 Hz Power Consumption IOW Standalone Copying N/A N/A Printing Approx. 12.0W N/A Standby Approx. 2.5W Approx. 4.0W Sleep Approx. 1.7W Approx. 1.8W Power Off Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Printer Software Windows XP/XP Professional x64 Edition/Vista/7/8 Operating System Compatibility Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Yes Epson Genuine Ink Cartridges Page Yield'3 Order Code			
Rated Voltage			1 000D(r)
Rated Frequency 50-60 Hz		AC 100-240V	
Power Consumption			
Standalone Copying N/A 10W Printing Approx. 12.0W N/A Standby Approx. 2.5W Approx. 4.0W Sleep Approx. 1.7W Approx. 1.8W Power Off Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Printer Software Operating System Compatibility Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Yes Epson Genuine Ink Cartridges Page Yield'³ Order Code		00~00 FIZ	
Printing Standby Approx. 12.0W N/A Steep Power Off Approx. 1.7W Approx. 1.8W Power Off Energy Star Certified Yes Approx. 0.3W Printer Software Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Yes Epson Genuine Ink Cartridges Page Yield'3 Order Code		NI/A	1000
Standby Approx. 2.5W Approx. 4.0W Sleep Approx. 1.7W Approx. 1.8W Power Off Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Printer Software Operating System Compatibility Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Yes Epson Genuine Ink Cartridges Page Yield'³ Order Code			
Approx. 1.7W			
Power Off Approx. 0.3W Approx. 0.3W Energy Star Certified Yes Approx. 0.3W Printer Software Operating System Compatibility Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Yes Epson Genuine Ink Cartridges Page Yield'³ Order Code			
Energy Star Certified Yes Printer Software Windows XP/XP Professional x64 Edition/Vista/7/8 Operating System Compatibility Windows XP/XP Professional x64 Edition/Vista/7/8 On-line Guide Mac OS X 10.5.8 or later Yes Yes Epson Genuine Ink Cartridges Page Yield'³ Order Code			
Printer Software Operating System Compatibility Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later Yes Epson Genuine Ink Cartridges Page Yield'3 Order Code			Approx. 0.3W
Operating System Compatibility Windows XP/XP Professional x64 Edition/Vista/7/8 Mac OS X 10.5.8 or later On-line Guide Epson Genuine Ink Cartridges Page Yield' ³ Order Code		Yes Yes	
Mac OS X 10.5.8 or later			
On-line Guide Yes Epson Genuine Ink Cartridges Page Yield ^{*3} Order Code	Operating System Compatibility		on/Vista/7/8
Epson Genuine Ink Cartridges Page Yield ¹³ Order Code			
17741 DidUK 0,000 C131774100	T7741 Black	6,000	C13T774100



M100 Weight: 3.4kg (7.5lb)



M200 Weight: 6.0kg (13.2lb)



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



Black text

- *2 Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default simplex. For full report see your country web site via www.epson.com
- *3 Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 19752. Quoted yields are NOT based on ISO/IEC24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.









© 2013 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.





